

SHUTTLE CRITICAL ITEMS LIST - MSBLS GROUND STATION

SUBSYSTEM: GROUND STATION - MSBLS FMEA NO.: 05-2MO-00007 REV: 11 Jul 89
 ASSEMBLY : Shelter ABORT: CRIT. FUNC: 1
 P/N : 517070 CRIT. HDW: 1
 : VEHICLE 102 103 104 105
 QUANTITY : 1 EFFECTIVITY: X X X X
 : PHASE(S) FL LO OO DO X LS
 REDUNDANCY SCREEN: A- B- C-

PREPARED BY: APPROVED BY: APPROVED BY (NASA):
 DES: Herrie Dulmire DES: Robert Sully DES: Ken H. Munn
 REL: [Signature] REL: [Signature] REL: George H. Pappas
 QE: [Signature] QE: [Signature] QE: [Signature]

ITEM: Shelter

FUNCTION: Monitors EL subsystem for proper operation; generates alarm and causes shutdown of MSBLS-MD if EL RF output is lost or is erroneous.

FAILURE MODE: EL guidance RF output is operating properly, but EL FM/BITE fails in a way indicating erroneous EL RF output, causing alarm and MSBLS shut-down.

CAUSE(S): A Shelter LRU fails due to piece part electrical failure. The LRU's which can cause this failure mode (05-2MO-00007) are listed below, with LRU Designator No., LRU P/N, and LRU Name:

LRU No.:	LRU P/N:	LRU Name:
150	502333	Field Monitor Circuits, Elevation
160	501825	Power Supply
322	517076	Panel, Entrance, Signal
324	517079	Cables, Interconn, Interior (inside Shltr)
325	517081	Harness, Rack
430	517082	Control Monitor
710	517080	Cables, Interconn, External (to/from Shltr)
920	518007	Assy, RF (Switching)

EFFECT(S): (A) SUBSYSTEM (B) INTERFACES (C) MISSION (D) CREW/VEHICLE

(A/B) All RF output from the Shelter ceases, due to MSBLS shutdown.

(C) No effect.

(D) Possible loss of Crew/Vehicle due to degradation of the terminal area approach and landing functions.

SHUTTLE CRITICAL ITEMS LIST - MSBLS GROUND STATION

SUBSYSTEM: GROUND STATION - MSBLS FMEA NO.: 05-2MO-00007 REV: 11 Jul 89

DISPOSITION AND RATIONALE:

(A) DESIGN (B) TEST (C) INSPECTION (D) FAILURE HISTORY (E) OPERATIONAL USE

(A) - DESIGN

The MSBLS design was structured from existing/proven ground-based landing systems and upgraded to meet MIL-E-4158, MIL-STD-454 and all subsidiary specifications in effect at the time of manufacture. Military and standard NASA approved parts, materials and processes were used.

The design evolved from a timely and in-depth internal design review process culminating in an optimum reliability/maintainability/performance end-item product. The design review process included studies such as FMEA, electrical and thermal analysis, sneak circuit analysis, worst case studies, tolerance analysis, etc. which resulted in direct impact of the design.

The design was approved via the formal NASA-Eaton PDR, CIR, PCA, FCA and certification process.

(B) - TEST

The MSBLS program consists of an equipment confidence build-up approach starting from 100% screening of components (burn-in and environmental test). Environmental testing of SRU's and 100% temperature/vibration tests at the LRU and equipment rack-level.

In plant ATP for functional performance verification and workmanship will be performed and witnessed by Eaton, NASA and AFPRO on all LRUs and again at system level.

Site testing and certification will be performed on each system after installation. Annual flight tests are conducted to demonstrate continued system compatibility.

Ground Turnaround Test - Verify operation of the MSBLS Ground Station prior to each Orbiter landing.

SHUTTLE CRITICAL ITEMS LIST - MSLS GROUND STATION

SUBSYSTEM: GROUND STATION - MSLS FMEA NO.: 05-2MD-00007 REV: 11 Jul 89

(C) - INSPECTIONReceiving Inspection

Receiving inspection verifies all incoming parts and materials, including the performance of visual and dimensional examinations. All electrical, mechanical and raw material records that certify materials and physical properties per drawing/specification requirements are retained by receiving inspection as required by contract.

Assembly/Installation

All detailed inspections are planned out by the methodization department for all new builds, spares and repairs for the MSLS Programs. Inspection points are designated to permit inspection before the applicable portions of the assembly become inaccessible and prior to the next assembly operation.

Critical Processes

All processes and certifications are monitored and verified by inspection. The critical processes are soldering, conformal coating, torquing and boresiting, application of adhesives/sealants and application of chemical film.

Testing

All parts of the ATP are observed and verified by QA.

Handling/Packaging

All parts and assemblies are protected from damage or contamination from the point of receiving inspection to final shipment, through methods detailed in a documented procedure. This handling procedure is in effect for all newly built hardware as well as for repair units. QA audits conformance to this procedure in accordance with its internal audit schedule, and all areas are considered under continuous audit by QA with respect to material handling. The maintenance of electrostatic discharge prevention methods is verified by QA through periodic audits. All hardware items are packaged and protected according to contract requirements and are verified by inspection. Evidence of inspection of packaging is recorded on the applicable shipping document.

(D) - Failure History

All field and flight failures were reviewed and there have been no reported failures in the MSLS-MD or MSLS-JR alarm circuitry.

SHUTTLE CRITICAL ITEMS LIST - MSBLS GROUND STATION

SUBSYSTEM: GROUND STATION - MSBLS

FMEA NO.: 05-2MD-00007

REV: 11 Jul 89

(E) - OPERATIONAL USE

For lower ceilings (8,000 to 10,000 feet) or night operations, redundant MSBLS (single-fault tolerance) is required for landing on a concrete runway. MSBLS is also mandatory for daylight landings on the lakebed with reduced ceilings, but is not required to be redundant. Deorbit is not attempted if the ceiling is less than 8,000 feet to ensure good visibility at low altitude. If radar tracking data (available at Edwards, KSC, and Northrop only) and ground communications are available, the MCC can attempt to resolve a MSBLS dilemma. Remote control operators are trained to evaluate system health and recognize probable failure modes from the Remote Control Unit Display. The Remote Control Unit Display is monitored to determine the nature of the malfunction (hard failure, intermittent, or random) and advise the chain of command on the status and the estimated time to restore operation.